


HELIOS™

BY AUDIO SOLUTIONS

Assembly Instructions

CS-LP64E



**CAUTION: THE MAXIMUM LOADING WEIGHT IS 150 LBS (68KG) .
USE WITH PRODUCTS HEAVIER THAN THE MAXIMUM WEIGHT INDICATED
MAY RESULT IN INSTABILITY AND POSSIBLE PERSONAL INJURY.**

Max Screen Size: 70"

TOOLS NEEDED

Herramientas Necesarias
Outils Requis



7/32"
5.5 mm



3/8"
10 mm



SYMBOLS



Drill
Agujerear
Perçer



Level
Nivel
Niveau



Socket Wrench
Llave española
Clé ouverte



Caution
Precaución
Attention



Tighten
Ajustar
Serrer



Pencil Mark
Marque con lápiz
Marque de crayon



Screwdriver
Destornillador
Tournevis



Heavy!
Tres Lourds!
!Pesado!

HARDWARE PRODUCT NUMBERS



1
M4 x 12
X 4



2
M5 x 12
X 4




3
M6 x 15
X 4




4
M8 x 15
X 4




5
M4 x 30
X 4




6
M5 x 30
X 4



7
M6 x 30
X 4



8
M8 x 30
X 4



9
M8 x 45
X 4



10
SQUARE
WASHER
X 4




11
5mm
SPACER
X 4



12
10mm
SPACER
X 4



13
STEEL
WASHER
X 8



14
LAG BOLT
8mm x 65mm
X 2



15
LAG BOLT
STEEL WASHER
X 2




16
WALL
ANCHOR
X 2

PRODUCT COMPONENT PARTS

Flat Panel Mounting Pattern (W x H)

Minimum: 100mm x 100mm

Maximum: 600mm x 400mm



Contents

A	1	Wall Plate (Bubble level included)
B	2	Vertical Rails
C	1	Locking Bar

Safety Warning

Thank you for selecting this Helios mount for your installation.
Before starting your installation please read and understand all of the directions.

If you are unsure or have any doubts about the installation please contact an installation professional or Helios customer support.

- Check the packing list and boxed products carefully to verify that there are no missing and/or damaged parts.
- Never use damaged or incorrect parts to do your installation as that may cause property damage or personal injury.
- Our customer service can quickly assist you with installation questions or parts request.
- Do not use this Helios mount for any purpose other than that specified by Helios. Helios is not liable for damage or injury caused by incorrect assembly, mounting or use.


Helios customer support:
Hours: Monday - Friday, 9 AM to 6 PM
Phone Number: (866) 839-9187
Email: support@audiosolutions.com

Installation and Mounting Directions

STEP 1A - FLAT BACK FLAT PANEL (VERTICAL RAILS)

Connect Vertical Rails to flat panel

Conecte el adaptador al monitor
Connectez l'adaptateur au moniteur




Installation and Mounting Directions

STEP 1B - CURVED BACK FLAT PANEL (VERTICAL RAILS)


Connect Vertical Rails to flat panel

Conecte el adaptador al monitor
Connectez l'adaptateur au moniteur




STEP 1- USE M8 STEEL WASHER IF THE PHILLIPS SCREWS FROM THE MONITOR KIT ARE TOO LONG

Diagrams show three options for using additional washers if hardware screws are too long to properly tighten into back of flat panel television.



select the proper spacers or spacer suit as below if necessary




Installation and Mounting Directions

STEP 2A -DRILL PILOT HOLE


Drill pilot hole

Realice el agujero piloto
Percez le trou de guidage




Wood Stud

Panel de madera
Poutre de bois







STEP 2A - WOOD STUD INSTALLATION CONTINUED



Installation and Mounting Directions




STEP 2A -MOUNT WALL PLATE

Mount wall plate
Coloque la placa de pared
Montez la plaque murale




STEP 2B -SOLID CONCRETE INSTALLATION

Use wall plate to mark mounting locations/ drill pilot holes
Use la placa de pared para marcar el lugar donde se realizará la instalación
Utilisez la plaque murale pour marquer l'emplacement de montage




Installation and Mounting Directions



STEP 2B –SOLID CONCRETE CONTINUED

Mount wall plate
Coloque la placa de pared
Montez la plaque murale




Installation and Mounting Directions

Hang vertical rails with monitor attached

Cuelgue con el monitor adherido.

Accrochez avec le moniteur installé.




STEP 4

Locking mechanism

Mecanismo de fijación

Mécanisme de verrouillage

Locking bar can be inserted from either left or right side of wall plate



HELIOSTM
BY AUDIO SOLUTIONS

Metra
HOME THEATER GROUP

1-866-839-9187

©2014 Metra Electronics Corporation, 460 Walker Street, Holly Hill, FL 32117-2699

Specifications are subject to change without notice.

All trademarks are the property of their respective owners.